

Glass Fittings



Contents


- Introduction
- Numbering System
- Typical Assemblies
- Glass Door Patch Fittings
- Mortise Lock Patch and Accessories
- Shower Screen Hinges and Accessories

Introduction

Novas range of Glass Fittings is designed and manufactured with innovated design concept and advanced manufacturing technology.

We are continuously developing the stainless steel glass fittings in manufacturing architectural hardware.

Product is manufactured from Grade 304 stainless steel. And Grade 316 stainless steel is also available upon request.











Glass Fittings


Typical Assemblies



















D

G

Glass Door Patch Fittings




Material: 1.5mm press-formed stainless steel cover


Grade 316 available upon request


Finish: SSS,PSS


Glass Thickness: 12mm Standard




2211 Bottom Patch










2212 Top Patch









2213 Transom Patch












Glass Door Patch Fittings

2214 L Patch


2214A L Patch with insert A 2214B L Patch with insert B









2215 T Patch








2216 F Patch










2221 Lock Patch

2221A Lock Patch A 2221B Lock Patch B










Mortise Lock Patch and Accessories

Rectangular Lock Patch



Features

- Provide an easy way to lock glass doors
- To suit oval cylinder and euro mortise locks with different selections of Novas door furniture
- · Made in 304 stainless steel



Rectangular Oval Cylinder Lock Patch



Cat No.	t Glass thicknes
22411/10	10mm
22411/12	12mm
22411/15	15mm
To suit Novas 12	100 Locks

Rectangular Euro Lock Patch



Cat No.	t Glass thickness
22421/10	10mm
22421/12	12mm
22421/15	15mm
To suit Novas12500 La	ocks

Rectangular Strike Patch




Cat No.	t Glass thickness
22451/10	10mm
22451/12	12mm
22451/15	15mm


Notes

Lock and door furniture are not included, please specify lock function when ordering.


Applications




Lock patch only



Euro lock patch only




Lock and strike patch




Euro lock and strike patch

Glass Cut-out



Complete Set Lock Patch Ordering Example



Note


Door furniture to be ordered separatly from Novas door furniture catalogue.

D

G


Mortise Lock Patch and Accessories


Round End Lock Patch



Features

- · rovide an easy way to lock glass doors
- odern design with multiple choice of Novas door furniture
- ade in 304 stainless steel








Round End Lock Patch Body


Cat No.	Finish	t Glass thic
22511/10	SSS/PSS	10mm
22511/12	SSS/PSS	12mm
22511/15	SSS/PSS	15mm
Lock is not i	ncluded	

Round End Strike Patch


Cat No.	Finish	t Glass thickness
22521/10	SSS/PSS	10mm
22521/12	SSS/PSS	12mm
22521/15	SSS/PSS	15mm

Round End Lock Privacy Latch Patch






Ordering Example



Strike patch is not included

- · Lockable by pushing internal push button
- · Auto release by turning internal lever
- · Emergence release by pushing a pin through outside releasing hole

Round End Lock Patch with Key in Lever or Key in Knob







key in Knob Patch

Select suitable key in lever or key in knob to fit Novas round end lock patch.

The lockset backset must be 60mm.

Applications




Privacy Set(Single)



Privacy Set(Double)

Glass Cut-out






Mortise Lock Patch and Accessories

Glass Hinge



Hinge Dimensions Glass Preparation




0.000	28.5
3.0	-

Cat No. 22113GG/12	Finish SSS/PSS
22113GG/15	SSS/PSS
22113GW/12	SSS/PSS
22113GW/15	SSS/PSS


Glass Thickness t 10/12mm	Mounting Glass to Glass 90° /180°
15mm	Glass to Glass 90° /180°
10/12mm	Glass to Wall 90° /180°
15mm	Glass to Wall 90° /180°

Typical Glass Hinge Installations


Glass to Wall 90° 22113GW




Glass to Wall 180° 22113GW



Glass to Glass 180° 22113GG



Glass to Glass 90° 22113GG






S D


G

Mortise Lock Patch and Accessories

Glass Turn Bolt

Cat No.	t Glass thickness	Finish
22800/10	10mm	SSS/PSS
22800/12	12mm	SSS/PSS
22800/15	15mm	SSS/PSS






Bracket for Closer with Regular Arm

Cat No.	t Glass thickness	Finish
22810/10	10mm	SSS/PSS
22810/12	12mm	SSS/PSS
22810/15	15mm	SSS/PSS


To suit Novas 1000 door closer

For other Novas door closer, please contact local Novas representative on bracket dimension.




Structural Panel Link Patch


Cat No.	Finish	t Glass thickness	Α	В
22964/12	SSS/PSS	12mm	164	114
22964/15	SSS/PSS	15mm	167	117




1

Cat No.	Finish	t Glass thickness	A	В	C
22974/12	SSS/PSS	12mm	164	114	90
22974/15	SSS/PSS	15mm	164	114	99






Cat No.	Finish	t Glass thickness
22973/12	SSS/PSS	12mm
22973/15	SSS/PSS	15mm
114		



22978/15	SSS/PSS	15mm
164	114	4

Finish

SSS/PSS



12mm



t Glass thickness

Cat No.

22978/12

assh

Ŋ


Shower Screen Hinges and Accessories Stainless Steel Shower Screen Hinges




Features

- Manufactured in Grade 304 stainless steel, Grade 316 stainless steel available upon request
- Durable finish against wet climate
- Reliable and powerful spring mechanism
- · Available finish: SSS, PSS and NC
- Standard glass thickness 10~12mm


180° Stainless Steel Shower Screen Hinges



$90^{\circ}\,$ Stainless Steel Shower Screen Hinges



135 $^{\circ}$ Stainless Steel Shower Screen Hinges



D


Ŋ

Shower Screen Hinges and Accessories

Shower Screen Pulls

31510 Series Shower Screen Pulls






Cat No.	Finish	A(m
31511	SSS/PSS	450
31512	SSS/PSS	600

31520 Series Shower Screen Pulls







Cat No.	Finish	A(mm)
31521	SSS/PSS	450
31522	SSS/PSS	600

Shower Screen Panel Brackets


Glass to Wall 90°


Cat No.	t Glass thickness	Finish
31601/8	8mm	SSS/PSS
31601/10	10mm	SSS/PSS
31601/12	12mm	SSS/PSS






Cat No.	t Glass thickness	Finish
31602/8	8mm	SSS/PSS
31602/10	10mm	SSS/PSS
31602/12	12mm	SSS/PSS






Glass to Glass 90°


t Glass thickness	Finish
8mm	SSS/PSS
10mm	SSS/PSS
12mm	SSS/PSS
	8mm 10mm





Glass to Glass 135°

Cat No.	t Glass thickness	Finish
31612/8	8mm	SSS/PSS
31612/10	10mm	SSS/PSS
31612/12	12mm	SSS/PSS







Guarantee

Nova Hardware guarantees all their products against defects in workmanship and materials subject to inspection and confirmation of fairwear and tear within the normal working life of the product. Nova Hardware assumes no liability for:

- 1. Improperinstallation or failure to follow fitting instructions.
- 2. Productfailure due to improper maintenance or unfair wear and tear.
- 3. Indirector consequentialloss or damage.
- 4. Cost of removal and/or replacement.
- 5. Cost of freight and/or travelling expenses.
- 6. Some plated finishes are classified as soft finishes. Deterioration is possible under some climatic conditions and can not be unconditionally guaranteed. Consult your local Nova representative or agent for advice on all finishes.

Finish

BRZ	Bronze
GLD	Gold
SIL	Silver

CA Clear Anodized

CP Polished Chrome Plated
PCP Pearl Chrome Plated
SC Satin Chrome Plated

ZP Zinc PlatedPB Polished Brass

SB Satin Brass

PSS Polished Stainless SteelSSS Satin Stainless Steel

NC NOVACOTE

Handing

Right Hand Door	Left Hand Door
Inside Outside Open Out	Open In Inside Outside

Change of Product Specifications

As a result of continuous improvements to our products, we reserve the right to alter standard product specifications and dimensions without prior notice.

Contact:

Shanghai Nova Hardware Co., Ltd. 402/Bld 4, 1221 West Yanan Road,

Shanghai 200050, China Tel: 86-21-6252 9138 Fax: 86-21-6252 7978

Email: sales@nova-hardware.com Web: www.nova-hardware.com