# **Architectural Hinges**



#### Contents

- Introduction
- Hinge Data
- Ordering System
- Metric Hinges
- •Imperial Hinges
- Heavy-Duty Butt Hinge
- Fast Fix/Liff Offs
- •Aluminium Offset Pivot Set
- Hospital Escape Hinges



### Introduction

#### Introduction


Nova Hardware Pty. Ltd. manufacture and market architectural and domestic quality hinges to Australia and other International markets, USA, UK and Asia. We also manufacture hinges for special applications. Please contact us if you have a requirement for non-standard products.

### **Hinge Data:**

The hinge height is always the first measurement followed by the width and gauge. The height of the hinge is the length of the leaf, not including the tips of the pin. The width of a hinge is measured across both leaves when the hinge is fully opened.

#### **Loose Pin or Fixed Pin:**

A Hinge supplied with Loose Pin means that the pin is capable of being removed for ease of fitting or later maintenance on the door. Loose Pin should never be used on exterior opening or security doors. In these circumstances for security reasons, fixed hinges or specifically designed security hinges should always be used.



### **Hinges Per Door:**

As a general guide. Specify two hinges for average doors up to 2040mm in height.


Doors over 2040mm and under 2340mm require three hinges.

Doors over 2340mm and under 3050mm require four hinges.

Doors fitted with door closers are subjected to greater forces and stresses than free hanging doors. The top hinge in particular suffers severe stress. Under these conditions it is recommended that a minimum of three hinges be used, the third hinge takes up the extra load and adds to the life of the installation. Under these conditions it is recommended that ball bearing or sinter lube bearing be used.

### **Hinge Selection Chart**

Door Thickness Door Width		Door Heimha	Recommended Hinge Numbers & Size	
Door Inickness	Door Width	Door Height	Metric Hinges	Imperial Hinges
30-45mm	Under 900mm	2040mm	2x 100x 75mm	2 x 4" x 3"
30-45mm	Under 900mm	Between 2040 & 2340	3x 100x 75mm	3 x 4" x 3"
		Between 2340 & 3000	3x 100x 100mm	3 x 4" x 4"
45-55mm	Under 1050mm	Between 2040 & 2340		3 x 4" x 4"
45-55mm	Under 1050mm	Between 2340 & 3000		4 x 4.5" x 4"
45.45	Under 1250mm	Between 2040 & 2340		3 x 4.5" x 4.5"
65-65mm		Between 2340 & 3000		4 x 4.5" x4.5"






# **Metric Hinges**

### Button Tipped-Plain $100 \times 75 \times 2.5$

Donon iippou	I IMIII I OO A 70 A ZIO		
Fixed Pin	Product Code	Finish	
	107525BTFPSSS	SSS	
	107525BTFPPSS	PSS	
	107525BTFPSC	SC	
	107525BTFPZP	ZP	
	107525BTFPCP	CP	

Loose Pin	Product Code	Finish
<b>1</b> 0050 1 111		
	107525BTLPSSS	SSS
	107525BTLPPSS	PSS
	107525BTLPSC	SC
	107525BTLPZP	ZP
	107525BTLPCP	CP






## Button Tipped-Ball Bearing 100 x 75 x 2.5

<b>Fixed Pin</b>	Product Code	Finish
	107525BBFPSSS	SSS
	107525BBFPPSS	PSS
	107525BBFPSC	SC
Loose Pin	Product Code	Finish
	107525BBLPSSS	SSS
	107525BBLPPSS	PSS
	107525BBLPSC	SC








# **Metric Hinges**

## Button Tipped-Plain 100 x 100 x 2.5

Donon iibbea	I Idili I OO X I OO	A 2.5
Fixed Pin	Product Code	Finish
	101025BTFPSSS	SSS
	101025BTFPSS	PSS
	101025BTFPSC	SC
	101025BTFPZP	ZP
	101025BTFPCP	CP


Loose Pin	Product Code	Finish
	101025BTLPSSS	SSS
	101025BTLPSS	PSS
	101025BTLPSC	SC
	101025BTLPZP	ZP
	101025BTLPCP	CP





### Button Tipped-Ball Bearing $100 \times 100 \times 2.5$

Fixed Pin	Product Code	Finish	
	101025BBFPSSS	SSS	
	101025BBFPPSS	PSS	
	101025BBFPSC	SC	
Loose Pin	Product Code	Finish	_
Loose Pin	Product Code 101025BBLPSSS	<b>Finish</b> SSS	_
Loose Pin			



18<u>.0</u>



## **Imperial Hinges**

### Button Tipped Ball Bearing 4" x 3" x 3mm


Fixed Pin	Product Code	Finish
	433BBFP-SSS	SSS
	433BBFP-PSS	PSS
Loose Pin	Product Code	Finish

433BBLP-SSS SSS
433BBLP-PSS PSS

### Button Tipped Ball Bearing 4" x 4" x 3mm

	.a _acag .	
Fixed Pin	Product Code	Finish
	443BBFP-SSS	SSS
	443BBFP-PSS	PSS
Loose Pin	Product Code	Finish

443BBLP-SSS SSS 443BBLP-PSS PSS



### Button Tipped Ball Bearing 4.5" x 4.0" x 3.4mm

Fixed Pin	Product Code	Finish
	45434BBFP-SSS	SSS
	45434BBFP-PSS	PSS
Loose Pin	Product Code	Finish
	45434BBI P-SSS	SSS

 45434BBLP-SSS
 SSS

 45434BBLP-PSS
 PSS

 45434BBLP-SC
 SC

 45434BBLP-CP
 CP

## Button Tipped Ball Bearing 4.5" x 4.5" x 3.4mm


Loose Pin	Product Code	Finish
	454534BBFP-PSS	PSS
	454534BBFP-SSS	SSS
Fixed Pin	Product Code	Finish

 454534BBLP-SSS
 SSS

 454534BBLP-PSS
 PSS

 454534BBLP-SC
 SC

 454534BBLP-CP
 CP






## **Heavy-duty Butt Hinge**

### 4.5" x 4.5" x 4.7mm

Product Code	Finisl
454547BBFP-SSS	SSS
454547BBFP-PSS	PSS




## Fast Fix Hinge

### 100 x 71 x 2.5mm

**Application** Aluminium/Metal Doors


Product Code	Finish
107125BBFF-SSS	SSS
107125BBFF-PSS	PSS





## Lift-off Hinge/Zinc Plate


100 x 75 x 1.6mm 107516LOLZP Left Hand 107516LORZP Right Hand 100 x 75 x 1.6mm 107525LOLSS Left Hand 100 x 75 x 2.5mm 100 x 75 x 2.5mm 107525LORSS Right Hand



## **Aluminium Offset Pivot Set**

# **Product Code** Finish 1811 Bronze 1811 Silver

## **Hospital Escape Hinge**



#### **Contact Details**

Shanghai Nova Hardware Co.,Ltd 402/Bld 4 No.1221 West Yan An Road,

Shanghai 200050,China Phone: 86-21-6252 9138 Fax: 86-21-6252 7978

Email: sales@nova-hardware.com Web: www.nova-hardware.com

#### **Guarantee**

Shanghai Nova Hardware Co.,Ltd guarantee all their products against defects in workmanship and materials subject to inspection and confirmation of fair wear and tear within the normal working life of the product.

Shanghai Nova Hardware Co.,Ltd assumes no liability for:

- 1. Improper installation or failure to follow fitting instructions.
- 2. Product failure due to improper maintenance or unfair wear and tear.
- 3. Indirect or consequential loss or damage.
- 4. Cost of removal and/or replacement.
- 5. Cost of freight and/or travelling expenses.
- Some plated finishes are classified as soft finishes. Deterioration is possible under some climatic conditions and cannot be unconditionally guaranteed.

Consult your local Nova Representative or Agent for advice on all finishes.

